

5 OUTBOARD
YEARS
warranty

FOR LEISURE USE ONLY
Subject to terms and conditions
see your Dealer for more
information



SELVA



BOATS WITH OUTBOARD MOTORS



Open Elegance
Line

Open Classic
Line

Tiller Line

Sun Deck
Elegance Line

Sun Deck
Classic Line

Cruiser
Line

Fisherman
Line



FOLLOW US ON
SELVA MARINE



Open Elegance Line

2 Models
from 5.7 to 6.7m

The Elegance Line, exclusively developed by Selva Marine, results in an attractive and sophisticated design for perfect sea-going relaxation. Imaginative use of hull lines and curves makes for a modern combination enhanced by colour. Exclusive graphics make for really pleasing designs. Accurately researched details and the use of innovative technical solutions for maximum useable space make these boats very functional for any relaxing use afloat.



Open Classic Line

2 Models
from 5.3 to 5.6m

Now you can go further afield and dream of new adventures with the Open Line boats. Years of nautical experience have enabled Selva Marine to produce these extraordinary boats. They are elegant and versatile, offered in a package formula with outboards from the large and varied Selva Marine range giving a combination of stability, handling and style. Even with a low-power motor they can compete with craft in higher categories in terms of performance and ability.



Tiller Line

3 Models
from 4 to 4.8m

This range of GRP boats, available in a package formula with tiller-steering Selva Marine outboards, is ideal for inshore family excursions, or lake and estuary fishing, at a competitive price with easy simplicity.



Selva Marine Engines Come With A Five-Year Limited Warranty. Certain Conditions And Exclusions Apply Including Professional And Commercial Use.

Sun Deck Elegance Line

1 Model of 6.7m

The Sun Deck Elegance Line sums up perfectly the imaginative idea of the range. The overall boat design creates attractive shapes coordinated with practical seagoing abilities. Colours and graphics are in harmony with the outboard engines that are coupled with Selva boats. The refined inserts in the cushions and adoption of functional and abundant fittings accentuate the boat's elegant flair and comfortably furnished cabin.



Sun Deck Classic Line

1 Model of 5.7m

The Sun Deck Classic Line is designed to offer maximum comfort: large cabin, comfortable sun deck and an ergonomic steering console. It comes in a package formula with exclusive Selva 4-stroke direct injection outboards to give the experience of complete relaxation and freedom in safety. Yet it also features performance and fuel economy so your boating days will be long and memorable.



Cruiser Line

3 Models from 5.9 to 7.1m

The range combines textbook safety and ease of navigation with quality furnishings and elegant detail enabling a relaxed and comfortable overnight stay. These boats are the ideal choice for the best of all worlds with great days afloat at sea and relaxing nights to enjoy while moored or in a safe marina. It's up to you to choose the way you do your boating.



Fisherman Line

1 Model of 6.5m

This fibreglass boat is built for fishing in comfort and comes in package formula with Selva Marine outboard motors. With power enough for estuary, offshore or wherever the fishing takes you on the day you'll be delighted. A variety of practical configurations ensure you will get the most pleasure out of your favourite activity: fishing.





6.7 MODEL ELEGANCE

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
665	250	950	8

CONSTRUCTION DETAILS

Open Elegance
Line



1

1- AFT LOUNGE

The aft area can easily be transformed from a lounge with a 'U'-shaped sofa and rectangular table to a wide sundeck with cushions.



2




3

2- FRONT SUNDECK

The front sundeck is equipped with cushions from the console to the anchor locker, giving a great area for relaxing.

3- CONSOLE ACCESS DOOR

The compartment under the console is accessible through the door. The access steps flow freely into the interior.



MODEL
5.7 ELEGANCE

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
566	229	750	7

CONSTRUCTION DETAILS

Open Elegance
Line



1



2



3



4

1- LOCKER FOR LADDER AND FOR LIVE BAIT

Lidded compartments in the stern platform for the swim ladder and live bait make the stern area completely useable on either side.

2- BOW RELAXING AREA

The sundeck area can be transformed into a lounge area or diner by adapting the central part for use as a table.

3- LOCKER UNDER CONSOLE

The storage compartment under the console is accessible through the front hatch fitted with a gas damper support.

4- ADDED FACILITIES AND LOCKER

A sink and gas cooker can be installed in the area adjacent to the helm and passenger seats. The large stern locker can easily accommodate plenty of extra kit on board.

MODEL	6.7 ELEGANCE	5.7 ELEGANCE
Max length (cm)	665	566
Max width (cm)	250	229
Approx. dry weight (kg)	950	750
Max applicable power (kW/hp)	112 (152)	86 (115)
Recommended power (hp)	100 / 150	40 / 100
People carrying capacity	8	7
Motor shaft version	Long	Long
Max carrying load (people, standard equipment, engine) (kg)	958	812
EC standard design category	C	C

Features		
Engine installation	S	S
Complete electric plant	S	S
Rev counter	S	S
Console with handrails and grab handle in stainless steel, stainless steel steering wheel, single lever, single cable steering, anti reflection windscreen, glove-box, switch panel, front seat with cushion and backrest cushion, foot-rest for the pilot and copilot in stainless steel.	S	S
Locker under console for possible installation of toilets with hatch access and portholes for ventilation	S	S
Navigation lights	S	0
WC	0	0
Compass	S	0
Side holdall pockets	S	S
Stern bench with compartment below	S	S
Tilting driver's seat backrest, with stowage below, for seated or upright driving	S	S
Stainless steel bow pulpit	S	S

Features		
MODEL	6.7 ELEGANCE	5.7 ELEGANCE
Self-draining anchor locker with cover	S	S
Anchor capstan	S	S
Electric anchor winch	0	0
Bilge pump	S	0
Stainless steel cleats	S	S
Stainless steel mooring rings	S	S
Complete range of cushions	S	S
Support for table	S	S
Bow sundeck extension with cushions	S	S
Aft sundeck extension with cushions	S	S
Mooring cover	0	0
Sun awning	0	0
Built-in fuel tank with blower, solenoid valves, fuel level gauge and filter on delivery	S - 180 lt	S - 120 lt
Telescopic stainless steel boarding ladder in stern locker	S	S
Live bait tank	S	S
Hydraulic steering system	S	0
Water tank with shower	S - 50 lt.	0 - 50 lt.

S= Standard 0=Optional

For information on engines in packages with **Open Elegance Line** boats please see the **Selva** outboard engine catalogue. The data in these tables are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations.



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
550	232	620	6

MODEL
D.5.6



MODEL
D.5.3

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
527	210	480	6

TECHNICAL CHARACTERISTIC AND FEATURES

MODEL	D.5.6	D.5.3
Max length (cm)	550	527
Max width (cm)	232	210
Construction height (cm)	113	95
Approx. dry weight (kg)	620	480
Max applicable power (kW/hp)	85 (115)	58,8 (80)
Recommended power (hp)	60/100	40/60
People carrying capacity	6	6
Motor shaft version	Long	Long
Max carrying load (people, standard equipment, engine) (kg)	775	690
EC standard design category	C	C

MODEL	D.5.6	D.5.3
Motor installation	S	S
Complete electric plant	S	S
Rev counter	S	S
Complete console ¹⁾	S	S
Navigation lights	0	0
Compass	0	0
Side holdall pockets	S	0
Stern bench	S	S
Driving seat with backrest and locker underneath	S	S
Stainless bow pulpit	S	S
Self-draining anchor locker with cover	S	S
Anchor winch	S	S
Electric anchor winch	0	0
Bilge pump	0	0
Stainless steel bollards	S	S
Stainless steel mooring rings	S	S
Complete set of cushions	S	S
Bow sundeck extension with cushions	S	S
Support for table	S	S
Mooring cover	0	0
Sunshade awning	0	0
Integrated fuel tank with solenoid valve and level indicator	0 - 90 lt	0 - 55 lt.
Stainless steel folding swim ladder	0	0
Hydraulic steering system	0	0
Water tank with shower plant	0 - 50 lt.	0 - 50 lt.

S= Standard 0=Optional

1)= Console with: stainless steel handrail, stainless steel steering wheel, single lever remote control box, single cable wheel house, sun deflecting windscreen, door with lock, switchboard with switches front seat with cushion and access to the locker below plus backrest cushion.

For information on engines in packages with **Open Line** boats please see the **Selva** outboard engine catalogue. The data in this table are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications given in these tables are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations.



MODEL
T.4.8

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
480	180	280	5



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
450	163	220	4

MODEL
T.4.5



MODEL
T.4.0

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
399	170	220	4

TECHNICAL CHARACTERISTIC AND FEATURES

MODEL	T.4.8	T.4.5	T.4.0
Max length (cm)	480	450	399
Max width (cm)	180	163	170
Approx. dry weight (kg)	280	220	220
Max applicable power (kW/hp)	22,1(30)	18,4 (25)	18,4 (25)
Recommended power (hp)	15/25	9,9/20	9,9/20
People carrying capacity	5	4	4
Motor shaft version	Long		
Max carrying load (people, standard equipment, engine) (kg)	530	425	425
EC standard design category	C	C	C

MODEL	T.4.8	T.4.5	T.4.0
Features			
Paddle oars	O	O	O
Stern bench with locker	N	S	S
Side bow benches + lockers with closure	S	N	N
Bow locker with closure	S	S	S
Central lockers with cover	S	S	S
Extension bench for central seat	N	S	S
Fender profile	S	S	S
Stainless steel mooring rings	S	S	S
Stainless steel handrail	S	S	S
Stainless steel anchor winch	S	S	S
Stainless steel grommet	S	S	S
Stainless steel bollard	S	S	S
Mooring cover	O	O	O
Swim ladder	O	O	O
Stainless steel bow hand rail	O	N	N
Stainless steel framed Bimini top	O	O	O
Solid wood floor cover	O	O	O
Cushion set (only for the T.4.8, sundeck extension)	O	O	O
GRP console	O	O	O

S= Standard O= Optional N= Not available

For information on engines in packages with **Tiller Line** boats please see the **Selva** outboard engine catalogue. The data in this table is to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications shown in these tables are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations



5 OUTBOARD
YEARS
warranty

FOR LEISURE USE ONLY
Subject to terms and conditions
see your Dealer for more
information

Selva Marine engines come with a five-year limited warranty. Certain conditions and exclusions apply including professional and commercial use.

Sun Deck
Elegance Line

The orderly lines and curves of the **SD 6.7 Elegance** interconnect to create up-to-the-minute forms in perfect harmony. The colours and graphics are based on the engines that are coupled with **Selva** boats as standard.

The refined inserts in the cushions and use of functional and abundant high-quality steel components accentuate the boat's elegance.



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
665	250	950	8

MODEL
SD.6.7 CABIN



1



2



3



4

1- CABIN

The comfortable cabin includes a handy storage pocket, a double bed complete with mattress, and courtesy lights. It can accommodate an optional toilet.

2- GALLEY UNIT

This practical unit integrates the sink with spaces adjacent for a gas cooker for quick meals afloat and underneath for a fridge. The hinged cover-top also serves as a table.

3- EASY STEPS TO BOW

The console position with side steps allows convenient access to bow and stern.

4- LOUNGE DECK

The aft area can easily be transformed from a seating area with a 'U'-shape sofa and convenient rectangular table to an extra-large sundeck that comes complete with cushions as standard.

TECHNICAL CHARACTERISTIC AND FEATURES



MODEL	SD.6.7 CABIN ELEGANCE
Max length (cm)	665
Max width (cm)	250
Approx. dry weight (kg)	950
Max applicable power (kW/hp)	112 (152)
Recommended power (hp)	100 / 150
People carrying capacity	8
Motor shaft version	Long
Max carrying load (people, standard equipment, engine) (kg)	958
EC standard design category	C

CABIN

Cushions with removable covers	S
Prepared for WC installation	S
Electric WC	O
Chemical WC	O
Side holdall pockets	S
Cabin lighting	S
Door with lock and latch	S
Pair of portholes	O

MODEL	SD.6.7 CABIN ELEGANCE
COCKPIT	
Large lockers	S
Side holdall pockets	S
Bow bench with cushions	S
Table with table support	S
Stern sundeck extension with cushions	S
Sink with tap	S
Telescopic swim ladder folds into the locker	S
Live bait tank with lid	S
Steps for access to bow and stern	S

EQUIPMENT

Motor installation	S
Complete electrics	S
Navigation light	S
Horn	S
Integrated fuel tank with solenoid valve and level gauge	S - 180 lt.
Integrated fresh water tank with shower and pump	S - 50 lt.
Black water tank with level indicator	O
Electric bilge pump	S
Hydraulic steering system	S

MODEL	SD.6.7 CABIN ELEGANCE
DECK	
Four stainless steel bollards	S
Mooring rings	S
Self draining anchor locker with cover	S
Electric anchor winch	O
Bow moulding	S
Open stainless steel pulpit	S
Deflecting windscreen	S
Complete cushion set	S
Bimini	O
Mooring cover	O
Stainless steel foldable roll bar, with front and rear canopy	O

DASHBOARD

Engine controls	S
Instrument panel	S
Tachometer	S
Fuel level gauge	S
Compass	S
Switch panel	S

S= Standard O= Optional N= Not available

For information on engines in packages with **Sun Deck Elegance Line** boats please see the **Selva** outboard engine catalogue.

The data in this table are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications given in these tables are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations.



MODEL
SD.5.7 CABIN

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
562	229	850	7

TECHNICAL CHARACTERISTIC AND FEATURES



MODEL	SD.5.7 CABIN
Max length (cm)	562
Max width (cm)	229
Approx dry weight (kg)	850
Max applicable power (kW/hp)	86 (115)
Recommended power (hp)	40 / 100
People carrying capacity	7
Motor shaft version	Long
Max carrying load (people, standard equipment, engine) (kg)	812
EC standard design category	C

CABIN	
Cushions with removable covers	S
Installation possibility electrical / chemical WC	S
Electric WC	0
Chemical WC	0
Side holdall pockets	S
Cabin lighting	S
Door with lock and latch	S

COCKPIT	
Large lockers	S
Side holdall pockets	S
Bow bench with cushions	S
Support for table	0
Foldable inox swimming ladder	S
Steps for access to the deck	S

MODEL	SD.5.7 CABIN
EQUIPMENT	
Motor installation	S
Complete electrical plant	S
Navigation light	S
Horn	S
Integrated fuel tank with solenoid valve and level gauge	S - 120 lt.
Integrated fresh water tank with shower plant and pump	0 - 45 lt.
Electric bilge pump	S
Hydraulic steering system	0

DECK	
Four stainless steel cleats	S
Mooring rings	S
Self draining anchor locker with cover	S
Electric anchor winch	0
Bow moulding	S
Open stainless steel pulpit	S
Deflecting windscreen	S
Complete cushion set	S
Bimini top	0
Mooring cover	0
Stainless steel foldable roll bar, with front and rear canopy	0

BRIDGE	
Engine controls	S
Instrument panel	S
Tachometer	S
Fuel level gauge	0
Compass	S
Switch panel	S

S= Standard 0= Optional

For information on engines in packages with **Sun Deck Line** boats please see the **Selva** outboard engine catalogue. The data in this table are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc without any forewarning or obligation. The specifications given in these tables are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations.



MODEL
C.7.1 CABIN PLUS

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
710	253	1700	8

CONSTRUCTION DETAILS



1



2



3



4



5

1- KITCHEN AREA

The kitchen area adjacent to the bow cabin includes a cupboard, a sink with tap, a stylish wooden storage compartment and a locker below.

2- DRIVER'S HELM POSITION

The dashboard for this boat can accommodate the complete onboard instrumentation and engine controls. The tilting pilot's seat allows for both a seated or upright driving position. The cabin door slides for easy access.

3- The stern cabin includes a double bed, porthole, curtain and spotlight.

4- The forward cabin includes a double bed which can be converted into a lounge area with a 'U'-shaped sofa. The fittings include a storage pocket, porthole, curtain and spotlight.

5- VERSATILE STERN SEATING

The stern can be set up as a comfortable sunbathing space or an additional sitting area with table.



MODEL
C.6.7 CABIN PLUS

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
660	253	1200	7



1



1- CABIN

The cabin is equipped with a double bed that can be transformed into a sitting room with an U-shaped sofa. Finely finished in wood and fabric



2

2- SEPARATE BATHROOM

The bathroom is separate, with Electric WC, wash basin and wood finishes.



MODEL
C.5.9 CABIN

Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
595	234	750	6

TECHNICAL CHARACTERISTIC AND FEATURES



MODEL	C.7.1 CABIN PLUS	C.6.7 CABIN PLUS	C.5.9 CABIN
Max length (cm)	710	660	595
Max width (cm)	253	253	234
Approx. dry weight (kg)	1700	1200	750
Max applicable power (kW/hp)	165,5 (225)	150 (204)	85 (115)
Recommended power (hp)	150/225	150/200	70/100
People carrying capacity	8	7	6
Motor shaft version	Extra Long	Extra Long	Long
Max carrying load (people, standard equipment, engine) (kg)	1220	845	700
EC standard design category	C	C	C

FORWARD CABIN

Complete range of removable cushions	S	S	S
Wide lockers	S	S	S
Separate bathroom with electric toilet, wash basin with tap and hatch	S	S	N
Chemical WC	N	N	O
Side storage pockets	S	S	S
Cabin lighting	S	S	S
Kitchen cabinet with sink and tap, storage compartment and wood cabinet	S	N	N
Two side portholes	S	S	N
Manhole	S	S	S
Entrance with hatch access with lock and latch	N	S	S
Sliding front door with lock and latch	S	N	N

STERN CABIN

Double bed with cushions	S	N	N
Porthole with curtain	S	N	N
Cabin lighting	S	N	N
Privacy curtain	S	N	N

BRIDGE

Steering wheel	S	S	S
Integrated single-lever controls	S	S	S
Instrument panel	S	S	S
Rev counter	S	S	S
Fuel gauge	S	S	S
Compass	S	S	S
Switch panel	S	S	S
Swivel driver seat	N	S	S
Tilting pilot seat for sitting or half upright driving, folding for access to the locker underneath	S	N	N

S= Standard O= Optional N= Not available

MODEL	C.7.1 CABIN PLUS	C.6.7 CABIN PLUS	C.5.9 CABIN
COCKPIT			
Wide lockers	S	S	S
Side holdall pockets	N	S	S
Stern bench with cushions	S	S	S
Bow sundeck extension with cushions	S	O	O
Table	S	S	O
Sink and faucet	N	N	S
Kitchen area includes a cupboard, a sink with tap and a locker below	N	S	N
Locker swim ladder	S	S	S
Swimming ladder stainless steel	S	S	S
Steps for access to the deck	S	S	N

EQUIPMENT

Motor installation	S	S	S
Complete electric system	S	S	S
Navigation lights	S	S	S
Horn	S	S	S
Build-in fuel tank with blower	S - 200 lt.	S - 160 lt.	S - 100 lt.
Build-in fresh water tank with level gauge	S - 70 lt.	S - 50 lt.	S - 50 lt.
Black water tank	S	S	N
Bilge pump	S	S	S
Hydraulic steering system	S	S	O

DECK

Four stainless steel cleats	S	S	S
Mooring rings	S	S	S
Self-draining anchor locker with hatch cover.	S	S	S
Electric anchor winch	O	O	O
Bow-roller	S	S	S
Bow boarding bridge	S	S	S
Windshield with anodised aluminium frame	S	S	S
Bow sundeck cushions	O	O	O
Integrated fibreglass roll bar and nav lights	S	S	N
Canopy cover dashboard / awning	O	O	N
Bimini	N	N	O
Full cockpit cover	O	O	O
Auxiliary engine support	O	O	O

For information on engines supplied in packages with **Cruiser Line** Boats please see the outboard **Selva** engine catalogue. The data in these tables are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc without any forewarning or obligation. The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase. **Selva S.p.A.** reserves the right to modify the technical characteristics and features without any forewarning or obligations.

5 OUTBOARD
YEARS
warranty

FOR LEISURE USE ONLY
Subject to terms and conditions
see your Dealer for more
information

Selva Marine engines come with a five-year limited warranty. Certain conditions and exclusions apply including professional and commercial use.



**Fisherman
Line**

Do you want freshly caught dinner for your guests? Or try for that really big fish? This model was designed especially for those with a passion for fishing, without losing anything in style. The deep-V bottom, high sides, spacious cockpit and covered bridge make it possible to handle even rough seas

in comfort. The practical package formula provides every boat in the Fisherman Line with the most appropriate 4-stroke direct injection **Selva Marine** outboard motor for optimising abilities and performance, creating a winning combination in terms of aesthetics, purpose and safety.



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
650	238	1100	7

MODEL
F.6.5 CABIN PLUS



The versatile F6.5 Cabin Plus can be easily transformed from a sport fisher to a social hub thanks to the cabin converting to lounge or dining area adjacent to the cockpit. The double bed is separated from the rest of the cabin by a privacy curtain. The optional refrigerator can be neatly integrated.

TECHNICAL CHARACTERISTIC AND FEATURES



MODEL	F. 6.5 CABIN PLUS
Max length (cm)	650
Max width (cm)	238
Approx. dry weight (kg)	1100
Max applicable power (kW/hp)	112 (152)
Recommended power (hp)	100/115
People carrying capacity	7
Motor shaft version	Long
Max carrying load (people, standard equipment, engine) (kg)	860
EC standard design category	C

CABIN

Complete cushion set with removable lining	S
Spacious lockers	S
Side holdall pockets	S
Cabin lighting	S
Two portholes	S
Sink with tap	S
Sliding glass entrance door	S

COCKPIT

Spacious locker	S
Side holdall pockets	S
Stern bench with cushions	S
Stainless steel folding swim ladder	S
Live bait tank	S
Built-in steps for access to the deck	S

EQUIPMENT

Motor installation	S
Complete electrical system	S
Navigation lights	S
Built-in fuel tank with blower, solenoid valves, fuel level gauge and filter on delivery	S - 160 lt.
Built-in fresh water tank with shower system and surge tank	S - 50 lt.
Hydraulic steering system	S
Electric bilge pump	S

MODEL	F. 6.5 CABIN PLUS
DECK	
Four stainless steel cleats	S
Mooring rings	S
Self draining anchor locker with cover	S
Electric anchor winch	O
Stainless steel bow platform	S
Fibreglass cabin with sliding side windows	S
Wood finishes	S
Windshield	S
Windshield wipers	S
Cushion for bow sundeck platform	S

BRIDGE

Built-in single lever control	S
Instrument panel	S
Rev counter	S
Fuel level gauge	S
Compass	S
Starter control panel	S
Pilot seat with removable cushions	S
Co-pilot seat with removable cushions	S
Extension for the co-pilot seat with cushions	S
Possible conversion in dining room	S
Support for table	S
Stainless steel footrests	S
Stainless steel steering wheel	S

S= Standard O= Optional N= Not available

For information on engines in packages with **Fisherman Line** boats please see the Selva outboard engine catalogue.

The data in these tables are to be considered as approximate and **Selva Marine** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.

The specifications given in these tables are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase.

Selva S.p.A. reserves the right to modify the technical characteristics and features without any forewarning or obligations



Q8 Oils



www.selvamarine.com



SELVA S.p.A.

Head office and main factory:

Viale dell'Industria, 13 - 23037 Tirano (SO) - Italia

Tel. 0342-702451 - Fax 0342-705361

VAT Number IT 00050830140

Company Registration

SO n. 00050830140 - REA n. 18382